


sustainable energy solutions for a better world



PANEL RADIATOR

IIIIII PANEL RADIATOR



General Specifications

BORPAN panel radiators with its attractively designed wide range of products help to bring a modern looking space saving solutions to suit any need radiator heating applications. They are engineered to save energy and money by having an efficient heat transfer on each unit. Today BORPAN radiators high quality is synonymous with lasting value.

Material

BORPAN panel radiators are made from EN10130 cold rolled steel sheet in compliance to the EN 442.

33.3 mm pitched water circulation channels and tall convectors welded directly on these channels provide rapid heat convection to the space and make you feel comfortable quickly.

Surface treatment

Each BORPAN panel radiator undergoes a multistage process;

* Pre-treatment:

Cleaning, NANO CERAMIC COATING

* Priming:

Application of water-based epoxy polyester primer coat

* Paint finish:

Standard color is RAL 9016:

Surface treatment process complies with DIN 55900 and EN 442



Nano Ceramic Coating

Environmental Advantages

- * Phosphate chemical free.
- * Toxic heavy metals free.
- * Organic impurities free.
- * Harmful raw materials free.
- * It has low power and natural resources consumption due to cold process.
- * It complies with the ISO 14001 standard.
- * It is environment friendly due to without waste sludge.
- * It is not harmfull for environment due to less waste water.





Quality Advantages:

- * Corrosion-ressistant is high, rusting period is getting longer as much as twice.
- * Easy process controll.
- * Obtain homogenous and smooth surfaces coating.

The Quality and Warranty

The quality of our production strictly inspected and certified by EN 442, CE, GOST-R, CNAS, UKR-SEPRO and other prevailing standards. Our company's quality management system is certified by ISO 9001:2015.

If properly installed, BORPAN Panel radiators come with a 10 year warranty.

Models

BORPAN Radiators are supplied in a choice of;

• 3 different models;

COMPACT



VENTIL COMPACT



HYGIENIC



• 7 different types (10, 11, 20, 21, 22, 30, 33);

Type 10; Single Panel

Type 11; Single Panel Single Convector

Type 20; Double Panel

Type 21; Double Panel Single Convector

Type 22: Double Panel Double Convector

Type 30; Triple Panel

Type 33; Triple Panel Triple Convector

• 6 different heights;

300

400

500

600

900 mm

• 20 different length (400-3000mm) alternatives.

All overall length starting with 400mm increments of 100mm up to

1600mm 200mm from 1600-3000mm













IIIIII ACCESSORIES

Radiator Valves	Termostatic Head	Insert Valves (M30 x 1,5)	Standard Wall Mounting Brackets	Compact Brackets	Floor Mounting Brackets	
	m's		Section 1981		OPTION 1 OPTION 1 OPTION 2 OPTION 2 OPTION 2 OPTION 2 OPTION 3 OPTION	OPTION 2

IIIII EXPORT

Montenegro

Poland Romania Russia Serbia Slovakia Slovenia Spain Switzerland Sweden Ukraine

IIIIII EXPORT					
Europe	Asia	North America	South America	Africa	Australia
Belgium Bosnia and Herzegovina Bulgaria Belarus Croatia Cyprus Czech Republic Denmark England Estonia Finland France Germany Greece Holland Hungary Ireland Kosovo Latvia Macedonia Moldova	Afghanistan Armenia Azerbaijan China Georgia India Iran Iraq Jordan Kazakhstan Kyrgyzstan Lebanon Mongolia Pakistan Palestine Syria Turkmenistan Uzbekistan				Australia



Offic

İvedik OSB Mahallesi Maxivedik Plaza 1122 Cad. No:20/48 Yenimahalle-Ankara TÜRKİYE +90 312 386 00 55 | info@bedisa.com.tr www.bedisa.com.tr

"6 Continents, 57 Countries"

Factory

Erenler OSB Mahallesi Mehmet Altınsoy Bulvarı No : 20 Aksaray TÜRKİYE **Authorized Dealer**